INDEX OF AUTHORS' NAMES.

TRANSACTIONS. 1888.

A.

Adie, R. H. See M. M. P. Muir.

Armstrong, H. E., note on electrolytic conduction and on the evidence of a change in the constitution of water, 125.

B.

Bailey, G. H., and G. J. Fowler, some reactions of the halogen acids, 755.

Ball, E. J., the alloys of copper and antimony, and of copper and tin, 167.

Bevan, E. J. See C. F. Cross.

Bloxam, C. L., obituary notice of, 508.

Bothamley, C. H., reduction of potassium dichromate by oxalic acid, 159.

Bothamley, C. H., and G. R. Thompson, estimation of chlorates by means of the zinc-copper couple, 164.

Boussingault, J. B. J. D., obituary notice of, 509.

Brauner, B., density of cerium sulphate solutions, 357.

Brauner, B., and F. Tomíček, action of hydrogen sulphide on arsenic acid, 145.

Brown, H. T., and G. H. Morris, determination of the molecular weights of the carbohydrates, 610.

C.

Carnegie, D. J., action of finely divided metals on solutions of ferric salts: rapid method for the titration of the latter, 468.

Carnegie, D. J. See S. Ruhemann.

Carnelley, T., and A. Thomson, the solubility of isomeric organic compounds and of mixtures of sodium and potassium nitrates, and the relation of solubility to fusibility, 782.

Carnelley, T., and J. Walker, the dehydration of metallic hydroxides by heat, with special reference to the polymerisation of the oxides and to the periodic law, 59.

Collie, N., action of heat on the salts of tetramethylphosphonium, 636.

—— on a new method of preparing tertiary phosphines, 714.

Collie, N. See also A. Lawson.

Colman, H. G., and W. H. Perkin, jun., synthetical formation of closed carbon-chains. Part III (*cont.*). Some derivatives of pentamethylene, 185.

Couldridge, W., interactions of nitrogen chlorophosphide, 398.

Crompton, H., an extension of Mendeléeff's theory of solution to the discussion of the electrical conductivity of aqueous solutions, 116.

Cross, C. F., and E. J. Bevan, combustion by means of chromic anhydride, 889.

Cundall, J. T. See C. M. Thompson, W. Shenstone.

D.

Day, T. C., new method of estimating nitrites, either alone or in presence of nitrates or chlorides, 422.

Debus, H., chemical investigation of Wackenroder's solution and explanation of the formation of its constituents, 278.

Divers, E., and M. Kawakita, on the composition of Japanese bird-lime, 268.

Dixon, A. E., action of isothiocyanates on the aldehyde-ammonias, 411.

Duffy, P., obituary notice of, 513.

Dunstan, W. R., and T. S. Dymond, on the alleged existence of a second nitroethane, 134.
Dymond, T. S. See W. R. Dunstan.

E.

East, F. J. See R. Meldola.
Edeleanu, L., some derivatives of phenylmethacrylic acid, 558.
Elliott, W. J. See S. Ruhemann, C. M. Stuart.
Elsworthy, H. S., note on a modification of Traube's "capillarimeter," 102.

F.

Fowler, G. J. See G. H. Bailey.
Frankland, P. F., a gasometric method of determining nitrous acid, 364.
—— action of some specific micro-organisms on nitric acid, 373.
Freer, P. C., and W. H. Perkin, jun., synthetical formation of closed carbon-chains. Part V. Experiments on the synthesis of heptamethylene-derivatives, 215.
—— —— synthetical formation of closed carbon-chains. Part IV. Some derivatives of hexamethylene, 202.

G.

Gladstone, J. H., and W. Hibbert, the optical and chemical properties of caoutchouc, 679.
Gott, B. S., and M. M. P. Muir, bismuth iodide and bismuth fluoride, 137.

H.

Hambly, F. J. See Thorpe.
Hartley, W. N., proof of the identity of natural and artificial salicylic acid, 664.
—— researches on the relation between the molecular structure of carbon compounds and their absorption spectra. Part IX. On isomeric cresols, dihydroxybenzenes, and hydroxybenzoic acids, 641.
Hibbert, W. See J. H. Gladstone.
Humpidge, T. S., obituary notice of, 513.
Huntly, G. N. See F. R. Japp.

J.

Japp, F. R., and G. N. Huntly, action of phenylhydrazine on an unsaturated γ-diketone, 184.
Japp, F. R., and F. Klingemann, the constitution of certain so-called mixed azo-compounds, 519.

K.

Kawakita, M. See E. Divers.
Kipping, F. S., synthetical formation of closed carbon-chains in the aromatic series. Part II, 21.
Klingemann, F. See F. R. Japp.

L.

Laurie, A. P., the constitution of the copper-zinc and copper-tin alloys, 104.
Lawson, A., and N. Collie, the action of heat on the salts of tetramethylammonium, 624.
Lewkowitsch, J., the rotatory power of benzene-derivatives, 781.
Loeb, M., the molecular weight of iodine in its solutions, 805.
—— the use of aniline as an absorbent of cyanogen in gas analysis, 812.

M.

Marshall, W. See T. Purdie.
Meldola, R., and F. J. East, researches on the constitution of azo- and diazo-compounds. Compounds of the naphthalene β-series, 460.
Meldola, R., and E. H. R. Salmon, some amines and amides derived from the nitranilines, 774.
Meldola, R., and F. W. Streatfeild, researches on the constitution of azo- and diazo-derivatives: IV. Diazoamido-compounds (*cont.*), 664.
Morris, G. H. See H. T. Brown.
Muir, M. M. P., and R. H. Adie, the interaction of zinc and sulphuric acid, 47.
Muir, M. M. P. See also B. S. Gott.

N.

Nef, J. U., carboxyl-derivatives of benzoquinone, 428.

Nilson, L. F., and O. Pettersson, on two new chlorides of indium and on the vapour-density of the chlorides of indium, gallium, iron, and chromium, 814.

P.

Perkin, A. G., and W. H. Perkin, jun., on some derivatives of anthraquinone, 831.
Perkin, W. H., sen., chlorofumaric and chloromaleïc acids, and the magnetic rotatory power of some of their derivatives, 695.
—— magnetic rotatory power of some of the unsaturated bibasic acids and their derivatives, also of mesityl oxide, 561.
—— on an apparatus for maintaining a constant pressure when distilling under reduced pressure, 689.
Perkin, W. H., jun., synthetical formation of closed carbon-chains. Part I. On some derivatives of hydrindonaphthene and tetrahydronaphthalene, 1.
Perkin, W. H., jun. See also H. G. Colman, P. C. Freer.
Pettersson, O. See L. F. Nilson.
Pickering, S. U., heat of dissolution of substances in different liquids, and its bearing on the explanation of the heat of neutralisation and on the theory of residual valency, 865.
Purdie, T., and W. Marshall, action of alcohols on ethereal salts in presence of small quantities of sodium alkyloxides, 391.

R.

Ramsay, W., the molecular weights of nitrogen trioxide and nitrogen peroxide, 621.
Reynolds, E. J., the action of bromine on potassium ferricyanide, 767.
Reynolds, J. E., researches on silicon compounds and their derivatives. Part III. The action of silicon tetrabromide on allyl- and phenyl-thiocarbamides. Part IV. The action of ethyl alcohol on the compound $(H_4N_2CS)_8SiBr_4$, 853.
Rodger, J. W. See T. E. Thorpe.
Rücker, A. W., on the range of molecular forces, 222.
Ruhemann, S., and D. J. Carnegie, action of acetone on ammonium salts of fatty acids in presence of dehydrating agents, 424.
Ruhemann, S., and W. J. Elliott, the isonitrile of phenylhydrazine, 850.
Ruhemann, S. See also S. Skinner.

S.

Salmon, E. H. R. See R. Meldola.
Schunck, E., on the supposed identity of rutin and quercitrin, 262.
Shenstone, W. A., and J. T. Cundall, the influence of temperature on the composition and solubility of hydrated calcium sulphate and of calcium hydroxide, 544.
Skinner, S., and S. Ruhemann, action of phenylhydrazine on urea and some of its derivatives, 550.
Smith, W. J. See T. E. Thorpe.
Streatfeild, F. W. See R. Meldola.
Stuart, C. M., action of phosphorus pentachloride on salicylaldehyde, 402.
—— halogen substituted derivatives of benzalmalonic acid, 140.
Stuart, C. M., and W. J. Elliott, the action of chromium oxychloride on ortho-substituted toluenes, 803.

T.

Thompson, C. M., and J. T. Cundall, the action of potassium on tetralkylammonium iodides, 761.
Thompson, G. R. See C. H. Bothamley.
Thomson, A. See T. Carnelley.
Thorpe, T. E., and F. J. Hambly, note on Chatard's method for the estimation of small quantities of manganese, 182.
—— —— on manganese trioxide, 175.
—— —— the vapour-density of hydrofluoric acid, 765.
Thorpe, T. E., and J. W. Rodger, thiophosphoryl fluoride, 766.
Thorpe, T. E., and W. J. Smith, on morindon, 171.
Tilden, W. A., the constitution of the terpenes and of benzenes, 879.
Tomíček, F. See B. Brauner.
Turner, T., the influence of silicon on the properties of iron and steel. Part II, 844.

W.

Walker, J. See T. Carnelley.
Ward, W. S., obituary notice of, 518.
Warington, R., the chemical action of some micro-organisms, 727.
Werner, E. A., chromorganic acids. Part II. Chromoxalates. Red series, 404.
—— oxidation of oxalic acid by potassium dichromate, 602.

INDEX OF SUBJECTS.

TRANSACTIONS. 1888.

A.

Acetanilide, action of benzoic chloride on, 780.
Acetic acid, electrical conductivity of solutions of, 122.
Acetoacetic acid, action of diazobenzene chloride on, 538.
Acetone, action of, on the ammonium salts of fatty acids in the presence of dehydrating agents, 424.
Acetopropyl alcohol, constitution of, 189.
Acetylpyruvaldehydrazone, 526.
Acids, bibasic, magnetic rotatory power of, 561.
Action, molecular, the radius of, 226.
Alcohols, action of, on ethereal salts in presence of small quantities of sodium alkyloxides, 391.
Aldehyde-ammonia, action of isothiocyanates on, 411.
Aldehydrazone, action of heat on, 542.
Allylthiocarbamide, action of silicon tetrabromide on, 853.
Allylthiocarbimide, action of aldehyde-ammonia on, 415.
Aluminium group, valency of elements of the, 825.
—— hydroxide, dehydration of, by heat, 74, 87.
Amides derived from the nitranilines, 774.
Amines derived from nitranilines, 774.
Ammonium chlorofumarate, 699.
Anhydracetophenonebenzil, action of phenylhydrazine on, 184.
Annual General Meeting, March 28th, 1888, 479.
Anthraquinone, derivatives of, 831.
Anthraquinonemonosulphonate, examination of the products obtained in the dry distillation of the sodium salt of, 831.
Antimonious acid, dehydration of, by heat, 72, 86.
Antimony-copper alloys, 167.
Arabinose, molecular weight of, 619.
Arsenic acid, action of hydrogen sulphide on, 145.
Azo- and diazo-derivatives, constitution of, 460.
Azo-compounds, mixed, constitution of certain so-called, 519.
Azo-derivatives, researches on the constitution of, 664.

B.

Bacillus floccus, 729.
—— *intestini*, 729.
—— *sulphureus*, 730.
—— *tardecrescens*, 731.
—— *toruliformis*, 730.
Balance Sheet of the Chemical Society from March 21st, 1887, to March 21st, 1888, 506.
—— —— of the Research Fund from March 21st, 1887, to March 21st, 1888, 507.
Benzalmalonic acid, chloro-, bromo-, and iodo-, 141.
—— —— orthonitro-, reduction of, 143.
—— —— substitution derivatives of, 140.
Benzene, constitution of, 879.
Benzene-azo-acetone, introduction of monad radicles into, 525.
Benzeneazo-β-naphthol, metanitro-, acetyl-derivatives of, 464.
Benzeneazo-β-naphthyl acetate, 466.
Benzeneazo-β-naphthylamine, metanitro-, action of nitrous acid on, 463.
Benzene-derivatives, rotatory power of, 781.
Benzene-α-hydrazobutyric acid, 538.
Benzoquinone, carboxyl-derivatives of, 428.
Benzylacetanilide, 780.

Benzylacetylparanitranilide, 779.
Benzylbenzoylparanitranilide, 780.
Benzylsuccinic acid, 10.
Benzylthiocarbimide, action of aldehyde-ammonia on, 411.
—— action of valeraldehyde-ammonia on, 413.
Bird-lime, Japanese, composition of, 268.
Bismuth fluoride, 138.
—— hydroxide, dehydration of, by heat, 72, 86.
—— iodide, 137.
Bismuthyl fluoride, 139.
Bromine, heat of dissolution of, in various solvents, 874, 877.

C.

Calcium hydroxide, influence of temperature on the composition and solubility of, 550.
—— sulphate, influence of temperature on the composition and solubility of, 554.
Caoutchouc, action of halogens on, 682.
—— action of heat on, 686.
—— from Japanese bird-lime, 270.
—— optical and chemical properties of, 679.
Capillarimeter, modification of, 102.
Carbamide and its derivatives, action of phenylhydrazine on, 550.
Carbohydrates, determination of the molecular weights of, 610.
Carbon-chains, closed, synthetical formation of, 1, 21, 185, 202, 215.
—— —— synthetical formation of, in the aromatic series, 21.
Catechol, absorption-spectra of, 650.
Cerium dioxide, hydrated, dehydration of, by heat, 70, 84.
—— sulphate solutions, density of, 357.
Chlorates, estimation of, by the zinc-copper couple, 164.
Chromic anhydride, combustion by means of, 889.
Chromium dichloride, vapour-density of, 830.
—— trichloride, vapour-density of, 829.
Chrom-organic acids, 404.
Chromoxalates, red series, 404.
Citraconic acid, magnetic rotatory power of, 580, 591.
—— anhydride, magnetic rotatory power of, 576, 596.
Cobaltic hydroxide, dehydration of, by heat, 78, 90.
Combustion by means of chromic anhydride, 889.
Copper pentathionate, 300.
Copper-antimony and copper-tin alloys, 167.
Copper-tin and copper-zinc alloys, constitution of, 104.
Cresol, phosphate, dichlorortho-, 403.
Cresols, absorption-spectra of, 643.
Cyanogen, use of aniline as an absorbent of, in gas analysis, 812.

D.

Dehydrotriacetonimine, 426.
Dextrose, molecular weight of, 614.
Diacetylparatolylosazone, 543.
Diazoamidobenzene, dinitrodibromo-, 669.
—— paradichloro-, and its ethyl-derivative, 670.
Diazoamidobenzenes, meta- and para-dinitro-, methylation of, 666.
Diazoamido-compounds, 664.
Diazo-derivatives, researches on the constitution of, 664.
Dibenzylethylphosphine, 725.
Diethylbenzylphosphine, 723.
Diethyldibenzylphosphonium chloride, action of heat on, 724.
Diethylisoamylphosphine, 722.
Diethylmethylphosphine, 719.
Diethylpropylphosphine, 721.
Dihydroxydurylic acid, 435.
Dihydroxypyromellitic acid, 453.
Diketone, γ-, unsaturated, action of phenylhydrazine on, 184.
Dimethyldiethylphosphonium chloride, action of heat on, 720.
Dimethylethylphosphine, 720.
Diphenylcarbazide, 551.
Diphenylthiocarbamide, action of silicon tetrabromide on, 857.
Distillation under reduced pressure, apparatus for maintaining a constant pressure during, 689.
Duroquinone, 430.
Durylic acid, diamido-, 433.
Durylic-acid-quinone, 434.

E.

Electrical conductivity of aqueous solutions, 116.
Electrolytic conduction, 125.
Ethacetoacetic acid, action of diazobenzene chloride on, 540.
Ethane, nitro-, non-existence of a second, 134.
Ethereal salts, action of alcohols on, in presence of small quantities of sodium alkoxides, 391.

Ethyl acetate, reaction of, with isoamyl alcohol, 395.
—— —— reaction of, with isobutyl alcohol, 395.
—— acetoacetate, action of diazo-salts on monalkyl-derivatives of, 532.
—— —— action of methylpentamethylene dibromide on, 197.
—— acetylmethylhexamethylenecarboxylate, 212.
—— —— hydrolysis of, 213.
—— acetylmethylpentamethylenecarboxylate, 197.
—— hydrolysis of, 198.
—— alcohol, action of, on the compound $(SCN_2H_4)_8SiBr_4$, 857.
—— bromomethylpentamethyleneacetoacetate, 211.
—— chlorofumarate, 700.
—— —— action of ammonia on, 702.
—— chloromaleate, 708.
—— citraconate, magnetic rotatory power of, 581, 591.
—— diacetyldiamidopyromellitate, 446.
—— diamidopyromellitate, 443.
—— dihydroxydurylate, 437.
—— dihydroxypyromellitate, 447.
—— paradiketohexamethylenetetracarboxylate, 455.
—— dinitropyromellitate, 442.
—— disodisoheptanetetracarboxylate, action of bromine on, 220.
—— ethacetoacetate, action of diazobenzene chloride on, 535, 537.
—— fumarate, magnetic rotatory power of, 574, 592.
—— glutarate, magnetic rotatory power of, 567, 589.
—— isoheptanetetracarboxylate, 217.
—— itaconate, magnetic rotatory power of, 584, 591.
—— maleate, magnetic rotatory power of, 572, 591.
—— mesaconate, magnetic rotatory power of, 585, 592.
—— methacetoacetate, action of diazobenzene chloride on, 532.
—— —— action of ortho- and of para-diazotoluene chloride on, 535, 537.
—— methylhexamethylenedicarboxylate, 206.
—— methylpentamethylenedicarboxylate, 192.
—— phenylenedipropionate (meta-), 34.
—— phenylhydrazoneacetoglyoxylate, action of phenylhydrazine on, 529.
—— quinoltetracarboxylate, 447.
—— quinonedurylate, 436.
—— quinonepyromellitate, 446.
—— quinonetetracarboxylate, 446.
Ethyl sebate, magnetic rotatory power of, 567, 589.
—— sodacetylenetetracarboxylate, action of benzoic chloride on, 10.
—— xylylenedichlorodimalonate (meta-), 26.
—— —— (orth-), 14.
—— —— (para-), 35.
—— xylylenedimalonate (meta-), 27.
—— —— (ortho-), 16.
—— —— (para-), 35.
Ethylacetylparanitranilide, 778.
Ethylbenzoylparanitranilide, 779.
Ethylthiocarbimide, action of aldehyde-ammonia on, 414.
Ethyltrimethylphosphonium chloride, action of heat on, 717.

F.

Ferric hydroxide, dehydration of, by heat, 76, 89.
—— salts, action of finely divided metals on, 468.
—— —— rapid method for the titration of, 468.
Ferrosoferric ferricyanide, 773.
Ferrous chloride, vapour-density of, 827.
Films, thin, table of properties of, 260.
Forces, molecular, range of, 222.
Fumaric acid, amido-, diamide of, 703.
—— —— chloro-, 697.
—— chloride, chloro-, 696.
Fumaryl chloride, magnetic rotatory power of, 575, 592.
Fusibility, relation of, to solubility, 733.

G.

Gallium dichloride, vapour-density of, 825.
—— trichloride, vapour-density of, 823.
Gas analysis, use of aniline as an absorbent of cyanogen in, 812.
Glutaric acid, magnetic rotatory power of, 566, 589.

H.

Halogen acids, some reactions of, 755.
Heat of dissolution of substances in different liquids, 865.
Heptamethylene-derivatives, experiments on the synthesis of, 215.
Hexamethylene-derivatives, 202.
Hydrazones of α-ketonic acids, formation of, 532.

Hydrindonaphthenecarboxylic acid, 9.
Hydrindonaphthene-derivatives, 1.
Hydrindonaphthenedicarboxylic acid, 7.
Hydrofluoric acid, vapour-density of, 765.
Hydrogen chloride, action of, on phosphorous pentoxide, 756.
—— peroxide, explanation of the decomposition of, 326.
Hydroxides, metallic, dehydration of, by heat, with special reference to the polymerisation of the oxides and to the periodic law, 59.
Hydroxybenzoic acid, meta- and para-, absorption-spectra of, 658.

I.

Ilicyl alcohol, 274.
Indium dichloride and its vapour-density, 818.
—— hydroxide, dehydration of, by heat, 74, 88.
—— monochloride and its vapour-density, 820.
—— trichloride and its vapour-density, 816.
Iodine, heat of dissolution of, in various solvents, 873, 877.
—— molecular weight of, in its solutions, 805.
Iron, influence of silicon on the properties of, 844.
Isoamyl acetate, reaction of, with ethyl alcohol, 395.
—— —— reaction of, with methyl alcohol, 394.
Isobutyl acetate, reaction of, with ethyl alcohol, 395.
—— —— reaction of, with methyl alcohol, 395.
Isophthalic acid, note on the preparation of, 45.
Isopropyl alcohol, hydrate of, 427.

K.

Ketonic acids, action of diazo-salts on, 538.

L.

Lead dioxide, hydrated, dehydration of, by heat, 70, 85.

M.

Maleic acid, chloro-, 706.
Maleic acid, magnetic rotatory power of, 572, 591.
—— anhydride, chloro-, 703.
—— —— magnetic rotatory power of, 567, 596.
Malonic acid, magnetic rotatory power of, 562, 587.
Maltose, molecular weight of, 617.
Manganese, Chatard's method for the estimation of small quantities of, 182.
—— heptoxide, 177.
—— trioxide, 175.
Mannitol, molecular weight of, 620.
Mercuric hydroxide, dehydration of, by heat, 64, 80.
Mercury, action of hydrogen chloride, bromide and iodide on, in presence of oxygen, 759, 760.
Mesityl oxide, magnetic rotatory power of, 586, 591.
Methacetoacetic acid, action of diazobenzene chloride on, 539.
Methoxybenzal chloride, ortho-, 404.
Methoxybenzalmalonic acid, 142.
Methyl acetate, reaction of, with isoamyl alcohol, 394.
—— —— reaction of, with isobutyl alcohol, 395.
—— citraconate, magnetic rotatory power of, 583, 591.
—— isobutyl ketone, magnetic rotatory power of, 586, 591.
—— mesaconate, magnetic rotatory power of, 586, 592.
—— phenylenedipropionate (meta-), 33.
—— —— (para-), 40.
Methylacetylmetanitranilide, 777.
Methylacetylparanitranilde, 776.
Methylazelaic acid, 218.
Methylbenzoylmetanitranilide, 778.
Methylbenzoylparanitranilide, 776.
Methylhexamethylene methyl ketone, 213.
Methylhexamethylenecarboxylic acid, 208, 213.
Methylhexamethylenedicarboxylic acid, 207.
Methylhydrocarbostyril, 560.
Methylmetanitraniline, 777.
Methylnitranilines, action of diazotised nitranilines on, 667.
Methylparanitraniline, 775.
Methylpentamethylene dibromide, 205.
—— —— action of sodium on, 214.
—— methyl ketone, 198.
Methylpentamethylenecarboxylic acid, 194, 198.
Methylpentamethylenedicarboxylic acid, 193.
Methyltetramethylene dibromide, 190
—— —— action of sodium on, 201.

Micrococcus gelatinosus, 731.
Micro-organisms, chemical action of some, 727.
—— specific, action of, on nitric acid, 373.
Milk, chemical action of micro-organisms on, 734.
Milk-sugar, molecular weight of, 618.
Mochyl alcohol, 274.
Molecular action, radius of, 226.
—— forces, range of, 222.
—— magnitudes, 260.
—— weight of iodine in its solutions, 805.
Morindon, 171.

N.

Naphthalene, β-, azo- and diazo-derivatives of, 460.
Nickelic hydroxide, dehydration of, by heat, 79, 91.
Nitranilines, some amines and amides derived from, 774.
Nitrates, reduction of, by micro-organisms, 742.
Nitric acid, action of some specific micro-organisms on, 373.
—— —— electrical conductivity of solutions of, 121.
Nitrification, 751.
Nitrites, method of estimating, either alone or in presence of nitrates and chlorides, 422.
Nitrogen chlorophosphide, interactions of, 399.
—— peroxide, molecular weight of, 621.
—— trioxide, molecular weight of, 621.
Nitrous acid, a gasometric method of determining, 364.

O.

Organic compounds, isomeric, solubility of, 783.
Oxalic acid, oxidation of, with potassium dichromate, 159, 602.
Oxalurhydrazide, 556.
Oxides, polymerisation of, 59.
Ozone, explanation of two properties of, 324.

P.

Pentamethylene-derivatives, 185.
Pentathionates, action of hydrogen sulphide on, 328.
Petathionates, action of sulphurous acid on, 331.
—— characteristic reactions of, 297.
Pentathionic acid, influence of time on the formation of, 333.
Periodic law in reference to the dehydration of metallic hydroxides by heat, 59.
Phenylenediacetic acid, meta-, 42.
—— —— para-, 44.
Phenylenediacrylic acid, ortho-, 14.
—— para-, 41.
Phenylenedipropionic acid, meta-, 32.
—— —— ortho-, and its tetrabromo-derivative, 18.
—— —— para-, 39.
Phenylhydrazine, isonitrile of, 850.
—— parabanate, 555.
Phenylhydrazine-alloxan, 557.
Phenylhydrazoneacetoglyoxylic acid, action of phenylhydrazine on, 530.
Phenylhydrazonepyruvic acid, action of heat on, 541.
Phenylisobutyric acid, nitramido-, 560.
—— —— paranitro-, 558.
Phenylmethacrylic acid, derivatives of, 558.
Phenylmethylnitrosamine, paranitro,- 775.
Phenylpiperyl thiocarbamide, 558.
Phenylthiocarbamide, action of silicon tetrabromide on, 856.
Phenylthiocarbimide, action of aldehyde-ammonia on, 416.
—— action of valeraldehyde-ammonia on, 417.
Phenyltrimethylammonium iodide, action of potassium on, 763.
Phenylurazole, 554.
Phosphines, tertiary, mixed, new method for the preparation of, 714.
Phosphoric acid, electrical conductivity of solutions of, 122.
Phosphorus pentoxide, action of hydrogen chloride on, 756.
Polythionates, action of sulphurous acid on, 331.
—— formulæ of, 351.
—— general reactions of, 298.
Potassium chlorofumarate, 698.
—— chromoxalate, 405.
—— dichromate, reduction of, by oxalic acid, 159.
—— ferricyanide, action of bromine on, 767.
—— hexathionate, 303.
—— hydroxide, electrical conductivity of solutions of, 123.
—— pentathionate, 291.
—— —— decomposition of an aqueous solution of, 311.

Potassium polythionates, behaviour of, in aqueous solution, 319.
—— —— reactions of solutions of, with acids, 316.
—— tetrathionate, decomposition of an aqueous solution of, 311.
—— thiosulphate, reaction of, with sulphurous acid, 343.
—— trithionate, decomposition of an aqueous solution of, 313.
Pressure, constant, apparatus for maintaining, when distilling under reduced pressure, 689.
Propionylacetylhydrazone, 540.
Propyl succinate, magnetic rotatory power of 562, 587.
Propyltriethylphosphonium chloride, action of heat on, 720.
Pseudocumoquinol, nitro-, 438.
Pseudocumoquinone, nitro-, 438.
Pyromellitic acid, dinitro-, 439.
Pyrotartaric anhydride and chloride, magnetic rotatory power of, 564, 589.
Pyruvaldehydrazone, action of phenylhydrazine on, 531.
—— introduction of monad radicles into, 525.

Q.

Quercitrin and rutin, supposed identity of, 262.
Quinol, absorption-spectra of, 654.
Quinoltetracarboxylic acid, 453.

R.

Racemic acid, action of phosphorus pentachloride on, 695.
Radius of molecular action, 226.
Raffinose, molecular weight of, 619.
Resorcinol, absorption-spectra of, 652.
Rutin and quercitrin, supposed identity of, 262.

S.

Salicylaldehyde, action of phosphorus pentachloride on, 402.
Salicylic acid, absorption-spectra of, 656.
—— —— natural and artificial, proof of the identity of, 664.
Salts, heat of dissolution of various, in different solvents, 871, 875.
Silicic acid, dehydration of, by heat, 66, 80.
Silicon compounds, researches on, 853.
—— influence of, on the properties of iron and steel, 844.
Silver hydroxide, dehydration of, by heat, 64, 79.
Sodium hydroxide, electrical conductivity of solutions of, 123.
Solubility of isomeric organic compounds, 783.
—— of mixtures of sodium and potassium nitrates, 783.
—— relation of, to fusibility, 783.
Solutions, aqueous, electrical conductivity of, 116.
Spectra, absorption-, relation between the molecular structure of carbon compounds and their, 641.
Stannic acid, dehydration of, by heat, 68, 83.
Steel, influence of silicon on the properties of, 844.
Succinyl chloride, magnetic rotatory power of, 563, 590.
Sugar, cane-, molecular weight of, 615.
Sulphur, a new allotropic modification of, 282.
—— action of sulphurous acid on, 347.
—— chloride and sulphurous acid, interaction between, 345.
—— heat of dissolution of, in various solvents, 874, 877.
Sulphuric acid and zinc, interaction of, 47.
—— —— electrical conductivity of solutions of, 118.

T.

Tartaric acid, action of phosphorus pentachloride on, 695.
Terpenes, constitution of, 879.
Tetrahydronaphthalene-derivatives, 1.
Tetrahydronaphthalenedicarboxylic acid (β-β-), 11, 20.
—— anhydride, 12.
Tetralkylammonium iodides, action of potassium on, 761.
Tetramethylammonium iodide, action of potassium on, 761.
—— salts, action of heat on, 624.
Tetramethylphosphonium salts, action of heat on, 636.
Tetrathionates, action of hydrogen sulphide on, 328.
—— action of sulphurous acid on, 333.
Thallium hydroxide, dehydration of, by heat, 76, 88.
Thiophosphoryl fluoride, 766.

Tin-copper alloys, 167.
—— —— constitution of, 104.
Titanic acid, dehydration of, by heat, 66, 81.
Toluenes, ortho-substituted, action of chromium oxychloride on, 803.
Tolylhydrazone, para-, 544.
Tolylhydrazonepyruvic acids, action of heat on, 543.
Tolylthiocarbimide, ortho-, action of aldehyde-ammonia on, 418.
Tribenzylphosphonium chloride, action of heat on, 725.
Triethylbenzylphosphonium chloride, action of heat on, 723.
Triethylisoamylphosphonium chloride, action of heat on, 721.
Triethylmethylphosphonium chloride, action of heat on, 719.
Trithionates, action of hydrogen sulphide on, 329.

U.

Urea and some of its derivatives, action of phenylhydrazine on, 550.
—— hydrolysis of micro-organisms, 732.

V.

Valency of elements of the aluminium-group, 825.
Vapour-densities of indium, gallium, iron, and chromium chlorides, 814.
Vapour-density of hydrofluoric acid, 765.

W.

Wackenroder's solution, chemical investigation of, and explanation of the formation of its constituents, 278.
—— —— preparation of, 281.
—— —— spontaneous decomposition of, 317.
Water, evidence of a change in the constitution of, 125.

X.

Xylylene bromide, meta-, 26.
—— —— para-, 34.
—— cyanide, meta-, 41.
—— —— para-, 44.
—— dibromide, 5.
—— diethyl ether, meta-, 45.
Xylylenedimalonic acid, meta-, 31.
—— —— para-, 38.

Z.

Zinc and sulphuric acid, interaction of, 47.
—— dust, action of, on ferric salts, 468.
—— pentathionate, 299.
Zinc-copper alloys, constitution of, 104.
Zirconium hydroxide, dehydration of, by heat, 68, 82.

ERRATA.

VOL. LI.

Page	Line			
749	20 from bottom,		*for*	"hulled" *read* "unhulled."

VOL. LIII.

119	13	„ „	„	"$-758{\cdot}97p$" *read* "$+758{\cdot}97p$."
125 top line			„	"p" „ "p_1."
476	8 from	„	„	"H. H. MacMunns" *read* "H. H. McMinnies."
723 top line			„	"triethylbenzoylphosphonium" *read* "triethylbenzylphosphonium."
782	12 from top		„	"Dr. Tilden" *read* "Tilden and Shenstone."
814	13	„ „	*insert*	"Chlorides of" *before* "Indium."

HARRISON AND SONS, PRINTERS IN ORDINARY TO HER MAJESTY, ST. MARTIN'S LANE.